

2008

# IBN AL HAYTHAM PHARMA

## Product List

This document contains a list of the available products. For more information about individual product do not hesitate to contact us directly using any of the contacts details shown below.



## Anti-Infective Drugs: Antibacterial Drugs

Product Name	Form	Composition	Indication
<b>Polybiotic</b>	30 g Ointment	Each 1 g Ointment contains: Bacitracin zinc: 500 IU Neomycin sulfate: 5 mg Polymyxin B(sulfate): 5000 IU	Antibiotic For skin infection and burns.
<b>Newdex</b>	15 g Cream	Each 100 g cream contains : Dexamethasone Na. Phosphate): 100 mg Neomycin Sulfate: 350 mg	Antibiotic & steroid For dermal infection and eczema
<b>Moxicin</b>	5 Coated Tablets. 10 Coated Tablets.	Each coated tablet contains : Moxifloxacin: 400 mg (equivalent to Moxifloxacin HCl: 436.8 mg)	Antibacterial Drugs

## Anti-Infective Drugs: Antiviral Drugs

Product Name	Form	Composition	Indication
<b>Hepaveron</b>	50 Capsules.	Each capsule contains : Ribavirine: 200 mg	Antiviral Drugs
<b>Influvir (Coated Tablets)</b>	20 Coated Tablets.	Each coated tablet contains : Rimantadine HCl: 100 mg	Antiviral Drugs
<b>Influvir (Oral Syrup)</b>	100 ml Oral Syrup	Each 5 ml syrup contains: Rimantadine HCl: 50 mg	Antiviral Drugs

## Calcium Suppositories/elements

Product Name	Form	Composition	Indication
<b>Hazi CaViD</b>	50 Tablets	Each tablet contains: Calcium Carbonate: 625 mg (250 mg Ca) Vitamin D3: 10 mcg (400 IU)	For prevention and treatment of Vit D and calcium deficiency status, such as rickets and osteomalacia
<b>Hazi CaViD Forte Sachet</b>	20 Sachets containing effervescent granules for oral solution	Each Sachet contains : Calcium Carbonate: 2500 mg = 1000mg Calcium Vitamin D3 (Colcalciferol): 880 I.U. = 22 mcg	For prevention and treatment of Vit D and calcium deficiency status, such as rickets and osteomalacia
<b>Calcium GL</b>	100 ml Syrup	Each 5 ml syrup contains: Calcium Gluconate: 505 mg=45 mgCa Calcium Lactobionate: 890 mg= 45 mg Ca ( Total Ca = 90 mg Ca / 5 ml )	For Calcium deficiency

## Respiratory Tract Drugs

Product Name	Form	Composition	Indication
Brodimeixine	100 ml Syrup	Each 10 ml syrup contains:	Cough Suppositoriesressant & Expectorant
	125 ml Syrup	Dextromethorphan HBr: 10 mg Pseudoephedrine HCl: 60 mg Bromhexine HCl: 8 mg Ammonium Chloride: 100 mg	
Broncholysine	100 ml Syrup	Each 100 ml syrup contains: Carbocisteine Lysine Monohydrate: 9 g	Mucolytic and to increase the fluidity of the secretions in acute and chronic respiratory apparatus infections
Butaxin Syrup	125 ml Syrup	Each 5 ml syrup contains: Butamirate Citrate: 7.5 mg	Antitussive used to prevent the unproductive dry cough also reduces the tension in the bronchial muscles, relieves breathing and chest pain.
Butaxin Oral Drops	25 ml Drops	Each 1 ml oral drops contains: Butamirate Citrate: 5 mg	~
Ambroxol 15 Infants Suppositories	10 Suppositories.	Each suppository contains : Ambroxol HCl: 15 mg	Mucolytic agent for the treatment of acute and chronic bronchopulmonary , chronic bronchitis, asthmatic bronchitis, laryngitis, pre – and post operative treatment and to remove the excessive mucus secretion after surgical operation.
Ambroxol 30 Children Suppositories	10 Suppositories.	Each Suppository contains : Ambroxol HCl: 30 mg	~
Ambroxol Syrup	100 ml Syrup	Each 5 ml syrup contains: Ambroxol HCl: 30 mg	~
Ambroxol 75 Retard Capsules	20 Capsules	Each capsule contains: Ambroxol HCl: 75 mg	~

## Dermatological & Vasodilator & Respiratory Tract Drugs

Product Name	Form	Composition	Indication
Khellin Coated Tablets	50 Coated Tablets.	Each coated tablet contains: Khellin: 25mg	Vitiligo photochemotherapy, angina , asthma renal colic and urolithiasis
Khellin External Solution	100 ml External Solution	Each 100 ml topical solution contains : Khellin: 2 g	Vitiligo Photochemotherapy

## Ear.Nose,And Oropharynx Drugs

Product Name	Form	Composition	Indication
Brophenil	15 g Gel	Each 100 g gel contains :	Topical nasal decongestants and antiallergics for the treatment of sinusitis and rhinites
	30 g Gel	Phenylephrine HCl: 250mg Dimethindene Maleate: 25mg	
Otobiotic	10 ml Ear Drops	Each 1 ml ear drop contains: Neomycin sulfate: 3400IU Polymyxin B sulfate: 10000 IU	Otic antibiotic
Otocain	10 ml Ear Drops	Each 100 ml ear drop contains : Phenazone: 2.5g Procaine HCl: 2.88 g	Otic analgesic and local anaesthetic

## Analgesics & Antipyretics

Product Name	Form	Composition	Indication	
Hazi Paradol Tablets	20 Tablets	Each tablet contains :	Non-Opioid analgesic and antipyretic for headache, migraine, toothache, neuralgia, rheumatic pain, muscle pain, and influenza.	
	500 Tablets	Paracetamol: 250 mg Caffeine Anhydrous: 50 mg Propyphenazone: 150 mg		
Oxydol 7.5/500 Capsules	20 Capsules	Each capsule contains: Oxycodone HCl: 7.5 mg Paracetamol: 500 mg		Opioid Analgesic
	20 Tablets	Each tablet contains : Oxycodone HCl: 5.2 mg Paracetamol: 325 mg		~
Oxydol 5/325 Tablets	20 Tablets	Each tablet contains : Oxycodone HCl: 5 mg Paracetamol: 325 mg		~
Oxydol Oral Solution	100 ml Oral Solution	Each 5 ml syrup contains: Oxycodone HCl: 5 mg Paracetamol: 325 mg	~	

## Antimigraine Drugs

Product Name	Form	Composition	Indication
Megragesic	6 Coated Tablets	Each coated tablet contains : Almotriptan(as Malat): 12.5 mg	Analgesic, Anti-Migraine
Indomigraine (Coated Tablets)	20 Coated Tablets	Each coated tablet contains: Indomethacin: 25 mg Caffeine: 75 mg Prochlorperazine Dimaleate: 2 mg	Nonsteroidal Anti-Inflammatory & Antiemetics Drugs
	6 Suppositories.	Each suppository contains : Indomethacin: 25 mg Caffeine: 75 mg Prochlorperazine Dimaleate: 4 mg	
	6 Suppositories.	Each suppository contains : Indomethacin: 50 mg Caffeine: 150 mg Prochlorperazine Dimaleate: 8 mg	

## Gastrointestinal Drugs

Product Name	Form	Composition	Indication
Sucralfate	100 ml Oral Suspension	Each 5 ml oral suspension contains : Sucralfate: 1 g	Antiulcer
Lansogest 15mg	20 Oral Disintegrating Tablets	Each tablet contains: Lansoprazole: (enteric-coated granules) 15 mg	~
Lansogest 30mg	20 Oral Disintegrating Tablets	Each tablet contains: Lansoprazole: (enteric-coated granules) 30 mg	~
New Spaslar	20 Coated Tablets	Each coated tablet contains : Otilonium Bromide: 40 mg	Antispasmodic
Spasticol	30 Coated Tablets	Each coated tablet contains : Pinaverium Bromide: 50 mg	Antispasmodic and antiemetic treatment and relief of symptoms associated with motor disorders of esophageal and hepatic bile tract (cystic fibrosis) and in functional intestinal disorders and irritable bowel syndrome IBS (abdominal pain, bowel disturbances and intestinal discomfort).
Chitostat	50 & 100 Coated Tablets	Each coated tablet contains : Chitosan: 500 mg Vitamin C: 30 mg	For weight loss and it may aid in regulating cholesterol levels in the body.
L-Sulpiride 25 (Oral Drops)	20 ml Oral Drops	Each 100 ml oral drops contains: Levosulpiride: 2.5 g	Dyspeptic Syndrome, Retarded Gastric Excretion, Vertigo, Vomiting And Nausea,
L-Sulpiride 25 (Tablets)	20 Tablets	Each tablet contains : Levosulpiride: 25 mg	Dyspeptic Syndrome, Retarded Gastric Excretion, Vertigo, Vomiting And Nausea,

## Non-Steroidal Anti-Inflammatory Drugs

Product Name	Form	Composition	Indication
Nimesulide (Gel)	30 g Gel 50 g Gel	Each 1 g gel contains: Nimesulide: 30 mg	Non Steroidal Anti Inflammatory Drug
Nimesulide (Tablets)	30 Tabs 500 Tabs	Each tablet contains: Nimesulide: 100 mg	Non Steroidal Anti Inflammatory Drug
Nimesulide (Oral suspension)	100 ml Oral Suspension	Each 5 ml oral suspension contains: Nimesulide: 50 mg	Non Steroidal Anti Inflammatory Drug
Nimesulide (Suppositories)	10 Suppositories	Each suppository contains : Nimesulide: 200 mg	Non Steroidal Anti Inflammatory Drug
Metacin	30 Capsules	Each capsule contains: Acemetacine: 60 mg	Non Steroidal Anti Inflammatory Drug
Acecloren (Coated Tablets)	20 Coated Tablets	Each coated tablet contains: Aceclofenac: 100 mg	Non Steroidal Anti Inflammatory Drug
Acecloren (Suppositories)	10 Suppositories	Each suppository contains : Aceclofenac: 200 mg	Non Steroidal Anti Inflammatory Drug
Artrofen (Delayed Release Capsules)	20 Delayed Release Capsules	Each capsule contains : Ketoprofen lysine enteric-coated granules: 320 mg	Rheumatoid arthritis, extra-articular rheumatism, and osteoarthritis pains -Cartilage inflammatory.- Ankylosing spondylitis. - Inflammatories and edema after injuries.
Artrofen	50 g Gel	Each 100 g gel contains:	Rheumatoid arthritis and

<b>Gel</b>		Ketoprofen lysine:	5 g	osteoarthritis pains .- Articular tumors - Muscular pains - Tendons and ligamenta pains
<b>Artrofen Oral Gargle</b>	125 ml Oral Gargle	Each 100 ml oral solution contains : Ketoprofen lysine:	1.6 g	For the symptomatic treatment of oropharyngeal inflammatory cases associated with pain: pharyngitis, tonsillitis, laryngitis, inflammatory of the vocal cords, dentalitis, stomatitis, gingivitis, glossitis, inflammatory of the oral mucus membranes, dental ligaments inflammatory, dental pains, dental conservative remedies and extraction.
<b>Artrofen 160 Suppositories</b>	10 Suppositories.	Each suppositories contains: Ketoprofen lysine:	160 mg	-Rheumatoid arthritis and osteoarthritis pains - Cartilage inflammatory - Ankylosing spondylitis - Inflammatories and edema after injurie -Post-operative pains
<b>OralFenac Oral Gargle</b>	250 ml Oral Gargle	Each 100 ml oral solution contains: Diclofenac acid:	0.074 g	For the treatment of irritative inflammatory cases associated with pain in the mouth, throat, and gingival including gingivitis caused by using dentures also for infections that result from dental treatments or tooth extractions.
<b>Profigrp Coated Tablets</b>	20 Coated Tablets	Each coated tablet contains: Ibuprofen: Pseudoefedrine HCl:	200 mg 30 mg	Non Steroidal Anti Inflammatory Drug and Decongestive

## Drugs Affecting The Blood: Antianaemia Drugs & Vitamins

Product Name	Form	Composition	Indication
<b>Folin B12 Oral vial</b>	8 Oral Vials	Each oral vial contains: Cyanocobalamine (Vit. B12): 100 mcg Folic Acid: 1.4 mg Nicotinamide (Vit. PP): 20 mg	Vitamins
<b>Vita Folic 12 Oral vial</b>	8 Oral Vials	Each oral vial contains: Cyanocobalamine (Vit. B12): 250 mcg Folic Acid: 1 mg	Vitamins
<b>Glucofer Oral vial</b>	8 Oral Vials	Each oral vial contains: Ferrous Gluconate: 300 mg (Equivalent to 37.5mg Iron)	Antianaemia
<b>Glucofer Baby Oral Vials</b>	10 Oral Vials	Each oral vial contains: Ferrous Gluconate: 126 mg (Equivalent to 15.7mg Iron)	Antianaemia
<b>Folevit Oral vials</b>	10 Oral Vials	Each oral vial contains: Folic Acid: 6mg Nicotinamide (Vit. PP): 24 mg Thiamine Hydrochloride (Vit. B1): 12 mg Cianocobalamine (Vit.B12): 6mcg	Vitamins
<b>Vita Biotin Oral vials</b>	10 Oral Vials	Each oral vial contains : Cyanocobalamine (Vit. B12): 1 mg Calcium Folate: 0.5 mg In the solution : Nicotinamide (Vit. PP): 10 mg Thiamine Hydrochloride (Vit. B1): 5 mg Riboflavin Sodium Phosphate (Vit. B2): 6.1 mg	Vitamins

## Local Anaesthetics Drugs

Product Name	Form	Composition	Indication
Dentalin	20 g Gel	Each 1 g gel contains : Amylocaine Hydrochloride: 5 mg	For the relief of pain on the oral mucous membranes and for dental pain in the first childhood

## Calcium Regulating Drugs

Product Name	Form	Composition	Indication
Risedol 5 mg	30 Coated Tablets	Each coated tablet contains: Risedronate Sodium: 5 mg	Treatment of Osteoporosis
Risedol 30 mg	30 Coated Tablets	Each coated tablet contains : Risedronate Sodium: 30 mg	~
Risedol 35 mg	4 Coated Tablets	Each coated tablet contains: Risedronate Sodium: 35 mg	~

## Dietary Supplements for Osteoporosis

Product Name	Form	Composition	Indication
Glucosamine 500 USP	30 & 60 & 100 Film Coated Tablets	Each film coated tablet contains : Glucosamine sulfate potassium chloride: 500 mg (Equivalent to Glucosamine base: 296 mg)	Dietary Supplements For Osteoporosis
Glucosamine Plus	30 & 60 & 100 Film Coated Tablets	Each film coated tablet contains : Glucosamine HCl: 500 mg Chondroitin Sulfate Sodium: 400 mg	~
Glucosamine Complex	30 & 60 & 100 Film Coated Tablets	Each film coated tablet contains : Glucosamine sulfate (as Sodium Chloride): 500 mg Iron (as Ferrous Gluconate): 0.26 mg Vitamin E(as dl-Alpha Tocopheryl Acetate): 20 IU Vitamin C: 60 mg	~

## Antiepileptics & Anticonvulsive Drugs

Product Name	Form	Composition	Indication
Lamic 5mg	20 Tablets	Each tablet contains : Lamotrigine: 5 mg	Antiepileptic
Lamic 25mg	20 Tablets	Each tablet contains : Lamotrigine: 25 mg	Antiepileptic
Lamic 100mg	20 Tablets	Each tablet contains : Lamotrigine: 100 mg	Antiepileptic
Lamic 200mg Tablets	20 Tablets	Each tablet contains : Lamotrigine: 200mg	Antiepileptic

## Cardiovascular Drugs: Antihypertensive Drugs & Diuretics

Product Name	Form	Composition	Indication
Valsartan 80	10 Capsules	Each capsule contains:	Antihypertensive
	20 Capsules	Valsartan: 80 mg	
Valsartan 160	20 Capsules	Each capsule contains:	Antihypertensive
		Valsartan: 160 mg	
Valsartan 320	10 Coated Tablets	Each coated tablet contains:	Antihypertensive
		Valsartan: 320 mg	
Valsartan HCT 80/12.5	20 Coated Tablets	Each coated tablet contains:	Antihypertensive & Diuretic
		Valsartan: 80 mg Hydrochlorothiazide: 12.5 mg	
Valsartan HCT 160/12.5	20 Coated Tablets	Each coated tablet contains:	Antihypertensive & Diuretic
		Valsartan: 160 mg Hydrochlorozide: 12.5 mg	
Valsartan HCT 160/25	20 Coated Tablets	Each coated tablet contains:	Antihypertensive & Diuretic
		Valsartan: 160 mg Hydrochlorozide: 25 mg	
Bisoprol HCT 2.5/6.25	30 Coated Tablets	Each coated tablet contains:	Antihypertensive & Diuretic
		Bisoprolol Fumarate: 2.5 mg Hydrochlorothiazide: 6.25 mg	
Bisoprol HCT 5/6.25	30 Coated Tablets	Each coated tablet contains:	Antihypertensive & Diuretic
		Bisoprolol Fumarate: 5 mg Hydrochlorothiazide: 6.25 mg	
Bisoprol HCT 10/6.25	30 Coated Tablets	Each coated tablet contains:	Antihypertensive & Diuretic
		Bisoprolol Fumarate: 10 mg Hydrochlorothiazide: 6.25 mg	
Hypozide 150/12.5	30 Tablets	Each tablet contains :	Antihypertensive & Diuretic
		Irbesartan: 150 mg Hydrochlorothiazide: 12.5 mg	
Hypozide 300/12.5	30 Tablets	Each tablet contains:	Antihypertensive & Diuretic
		Irbesartan: 300 mg Hydrochlorothiazide: 12.5 mg	
Nifemex Retard Extended Release	50 Extended Release Tablets	Each coated tablet contains: Nifedipine: 20 mg	Calcium channel blockers used to treat high blood pressure or to prevent chronic stable angina pectoris

## Psychotherapeutic Drugs: Antidepressant Drugs

Product Name	Form	Composition	Indication
Depretin	20 Coated Tablets	Each coated tablet contains :	Antidepressant
		Paroxetine (HCl): 20 mg	
Anxitin 5mg	20 Coated Tablets	Each coated tablet contains :	Antidepressant
		Escitalopram (as Oxalate): 5 mg	
Anxitin 10mg	20 Coated Tablets	Each coated tablet contains :	Antidepressant
		Escitalopram (as Oxalate): 10 mg	
Anxitin 20mg	20 Coated Tablets	Each coated tablet contains :	Antidepressant
		Escitalopram (as Oxalate): 20 mg	
Mirtapin	20 Coated Tablets	Each coated tablet contains	Antidepressant
		Mirtazapine: 30 mg	

## Antiallergic Drugs

Product Name	Form	Composition	Indication
<b>Fexofenadine 60</b>	20 Capsule	Each capsules contains : Fexofenadine HCl: 60 mg	Non sedative Antihistamine
<b>Fexofenadine 120</b>	20 Coated Tablets	Each coated tablet contains : Fexofenadine HCl: 120 mg	Non sedative Antihistamine
<b>Fexofenadine 180</b>	20 Coated Tablets	Each coated tablet contains : Fexofenadine HCl: 180 mg	Non sedative Antihistamine
<b>Fexofenadine (Oral Suspension)</b>	100 ml Oral Suspension	Each 5 ml suspension contains: Fexofenadine HCl: 30 mg	Non sedative Antihistamine
<b>Fexofenadine-D</b>	20 Extended Release Coated Tablets.	Each coated tablet contains: Fexofenadine HCl: 60 mg Pseudoephedrine HCl: 120 mg	Non sedative Antihistamine And Decongestive
<b>Fexofenadine-D 24</b>	20 Extended Release Coated Tablets.	Each coated tablet contains: Fexofenadine HCl: 180 mg Pseudoephedrine HCl: 240 mg	Non sedative Antihistamine And Decongestive

## Dermatological Drugs: Antifungal Drugs

Product Name	Form	Composition	Indication
<b>Micostop 1% (Dermal Cream)</b>	30 g Dermal Cream	Each 1 g cream contains : Tioconazole: 10 mg	Antifungal Drug
<b>Micostop 2% (Vaginal Cream)</b>	30 g Vaginal Cream	Each 1 g cream contains : Tioconazole: 20 mg	Antifungal Drug
<b>Micostop 1% (Dermal Solution)</b>	30 g 78 g Dermal Solution	Each 1 g dermal solution contains : Tioconazole: 10 mg	Antifungal Drug
<b>Micostop 0.2% (Vaginal Solution)</b>	150 ml Vaginal Solution	Each 100 g vaginal solution contains : Tioconazole: 200 mg	Antifungal Drug
<b>Micostop 100 (Ovules)</b>	6 Ovules	Each ovule contains: Tioconazole: 100 mg	Antifungal Drug
<b>Micostop 300 (Ovules)</b>	1 Ovule 3 Ovules	Each ovule contains: Tioconazole: 300 mg	Antifungal Drug
<b>Micostop 28% (Nail Solution)</b>	12 ml Nail Solution	Each 1 g nail solution contains : Tioconazole: 280 mg	Antifungal Drug
<b>Lactisyr</b>	150ml 300ml 500ml Vaginal Solution	Vaginal Solution for Daily Protective Wash Antiseptic and Detergent with Natural pH Balance With Lactic Acid Base	Antiseptic And Detergent With a Natural PH Degree With Lactic Acid Base

## Dermatological Drugs: Antifungal & Topical Corticosteroids

Product Name	Form	Composition	Indication
<b>Naftine (Cream)</b>	30 g Cream	Each 1 g cream contains: Naftine HCl: 10 mg	Dermal Antifungal Drug
<b>Naftine (External Solution)</b>	30 ml External Solution	Each 1 g solution contains : Naftine HCl: 10 mg	Dermal Antifungal Drug
<b>Forderm cream</b>	15 g Cream 30 g Cream	Each 1 g cream contains: Betamethasone(as17- valerate): 0.5 mg Gentamycin (as sulfate ): 1 mg Tolnaftate: 10 mg Clioquinol (Iodochlorhydroxyquin): 10 mg	Dermatitis, dermatophytic fungi , candidiasis , eczematoid dermatitis , and photosensitivity dermatitis

## Dermatological Drugs: Keratolytics Drugs & Rubefacients

Product Name	Form	Composition	Indication
Isotretin (Gel)	30 g Gel	Each 100 g gel contains:	For the treatment of acne
	50 g Gel	Isotretinoin: 0.05g	
Acneid 10% (Gel)	30 g Gel	Each 100 g gel contains : Benzoyl peroxide: 10 g	~
Acneid 2.5% (Gel)	30 g Gel	Each 100 g gel contains : Benzoyl peroxide: 2.5 g	~
Acneid 5% (Gel)	30 g Gel	Each 100 g gel contains : Benzoyl peroxide: 5 g	~
Acneid 5% (Lotion)	100 ml Lotion	Each 100 g lotion contains : Benzoyl peroxide: 5 g	
Acnetrix (Gel)	30 g Gel	Each 100 g gel contains : Isotretinoin: 0.05 g Erythromycin: 2 g	For topical treatment of vulgar acne

## Topical Corticosteroids Drugs

Product Name	Form	Composition	Indication
Oralog	15 g Oral Paste	Each 1 g oral paste contains :	Thrush and ulcerative stomatitis
	30 g Oral Paste	Triamcinolone Acetonide: 1 mg	

## Dental Care

Product Name	Form	Composition	Indication
PonySyr (Denture Fixative Gel)	40 g Gel (Denture Fixative Gel)	Composition: Calcium Sodium PVM/MA Copolymer Cellulose Gum Paraffin liquid Petrolatum Menthol Menthy lactate	12 hour special fixative denture Gel

## Urogenital Drugs

Product Name	Form	Composition	Indication
Tadafort 10	4 Coated Tablets.	Each coated tablet contains : Tadalafil: 10 mg	Erectile dysfunction
Tadafort 20	4 Coated Tablets.	Each coated tablet contains : Tadalafil: 20 mg	Erectile dysfunction
Urispam	30 Coated Tablets	Each coated tablet contains : Propiverin HCl: 15 mg	For treatment of a hyperactive or, urgency and frequency in unstable bladder conditions

## Drugs Affecting The Blood: Drugs Affecting Coagulation

Product Name	Form	Composition	Indication
Vasactive 0.5%	30 g Cream	Each 100 g cream contains : Pentosan polysulphate sodium: 0.5 g	For the prevention and treatment of superficial thrombophlebitis, varices, varices sclerosis, varices ulcers, and hemorrhoids.
Vasactive 1.5%	30 g Cream	Each 100 g cream contains : Pentosan polysulphate sodium: 1.5 g	~

## Antidiabetic Agent

Product Name	Form	Composition	Indication
Diabeset 60	50 Coated Tablets	Each coated tablet contains : Nateglinide: 60mg	Antidiabetic Drug
Diabeset 120	50 Coated Tablets	Each coated tablet contains : Nateglinide: 120mg	~
Mignil 25	30 Coated Tablets	Each coated tablet contains : Miglitol: 25mg	~
Mignil 50	30 Coated Tablets	Each coated tablet contains : Miglitol: 50mg	~
Mignil 100	30 Coated Tablets	Each coated tablet contains : Miglitol: 100mg	~

## Contact Details:

Ibn Al-Haytham Pharmaceuticals  
Industries , Co .  
P.O.Box: 16232 .  
Al-Mansura-Aleppo , Syria  
Web site : [www.ibn-alhaytham.com](http://www.ibn-alhaytham.com)

### - Biz.Dev.Department

R.S.Charabati  
B.Sc.Ph.

Tel: +963 21 21275290  
+963 21 2218571

Fax: +963 21 21275299

Mobile: +963 944 714667

E-mail: [bizdev@ibn-alhaytham.com](mailto:bizdev@ibn-alhaytham.com)